



VEHICLE ARMOR™

Wheel Well Guards

7911 - Installation Instructions
2011-14 Ford F250/350 Super Duty

PACKAGE CONTENTS:



Wheel Well Guard
Driver's Side (1)

Wheel Well Guard
Passenger's Side (1)



U-Clips (4)




SEM Screws (8)

TOOLS REQUIRED:

- Phillips Head Screwdriver
- Drill Motor & 1/8" Drill Bit

VEHICLE PREPARATION:

Your vehicle's rear fender wells should be cleaned prior to the installation of your new Wheel Well Guards.



Installation

Read all directions thoroughly prior to the installation of your Wheel Well Guards.

A, B, C, & D are pre-drilled fastener locations for installation.



1. Verify that you are installing the correct Wheel Well Guard by checking the part no. located on the backside of the part.

- 7911 DS installs on the driver's side.
- 7911 PS installs on the passenger's side.



2. Insert the Wheel Well Guard into the rear wheel well opening over the tire.

NOTE: It is not necessary to remove the tire.



3. Push The Wheel Well Guard up into the wheel well opening.



4. Insert the lower flap sections of the Wheel Well Guard into the fender well behind the fender well lip. Perform this step for both the front and rear lower flap sections.



5. Tuck the remaining portion of the Wheel Well Guard behind the fender lip all the way around the fenderwell opening.



6. Push the Wheel Well Guard up until it rests against the inside of the fender well. Drill 1/8" holes at locations B and C.


NOTE: Make sure that sheet metal is visible through Wheel Well Guard holes B and C prior to drilling.



7. Install #10 SEM screws at locations B and C, through the Wheel Well Guard and into the pre-drilled sheet metal holes. Leave screws loose until all fasteners are installed.



8. Install a #10 SEM screw at location D through the under side sheet metal, through the Wheel Well Guard and into a U-Clip (see image below).




9. Do not clip the U-Clip over the Wheel Well Guard. The U-Clip functions as a "nut" and is placed on top of the Wheel Well Guard at location D.



10. Install a #10 SEM screw at location A through the fender sheet metal, through the Wheel Well Guard and into a U-Clip (see image below).

NOTE: For F250/350's WITH factory fender flares - Remove plastic fastener from vehicle fender location A prior to installing SEM screw and U-Clip as described in step 10.



11. Do not clip the U-Clip over the Wheel Well Guard. The U-Clip functions as a "nut" and is placed on backside of the Wheel Well Guard at location A.

12. Finish by tightening all fasteners.

Repeat steps 1-12 for the other side of the vehicle.

Congratulations, you have now successfully installed your new Husky Liners Wheel Well Guards. If you have any questions please call us at 1-800-344-8759.

HUSKY LINERS WHEEL WELL GUARDS LIMITED LIFETIME WARRANTY

WINFIELD CONSUMER PRODUCTS WARRANTS YOUR HUSKY LINERS WHEEL WELL GUARD PROTECTION PRODUCT WITH A LIMITED LIFETIME WARRANTY TO THE ORIGINAL PURCHASER. IF YOUR FINISHED PRODUCT IS FOUND DEFECTIVE, WINFIELD CONSUMER PRODUCTS WILL AUTHORIZE THE REPLACEMENT OF YOUR PRODUCT AT NO CHARGE TO THE ORIGINAL PURCHASER. THIS WARRANTY COVERS PRODUCT REPLACEMENT ONLY. WINFIELD CONSUMER PRODUCTS WILL NOT PROVIDE A MONETARY REFUND FOR THE PRICE OF THE PRODUCT OR CHARGES INCURRED DURING INSTALLATION. THIS WARRANTY IS NOT TRANSFERABLE. WINFIELD CONSUMER PRODUCTS ASSUMES NO LIABILITY FOR PRODUCT FAILURE DUE TO ACCIDENT, COLLISION, NEGLIGENCE, VANDALISM OR ABUSE.

THERE IS NO WARRANTY OF MERCHANTABILITY AND NO WARRANTY THAT THE PRODUCT SHALL BE FIT FOR ANY PARTICULAR PURPOSE OR USE. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY HAVE OTHER RIGHTS WHICH VARY FROM JURISDICTION.

THIS PRODUCT IS TO BE USED IN COMPLIANCE WITH ALL APPLICABLE STATE OR PROVINCIAL LAWS. INSTALLATION OF THIS PRODUCT IN A MANNER THAT VIOLATES STATE OR PROVINCIAL LAW IS A MISUSE OF THE PRODUCT AND VOIDS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTY OF MERCHANTABILITY. WINFIELD CONSUMER PRODUCTS SHALL NOT BE LIABLE IN ANY MANNER WHATSOEVER FOR DAMAGES RELATED TO THE USE OF THIS PRODUCT IN AN ILLEGAL MANNER.

FOR WARRANTY SERVICE CONTACT YOUR HUSKY LINERS DEALER OR CALL WINFIELD CONSUMER PRODUCTS AT (800) 344-8759.